

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Street	City	State
555421	4367 CONCORD BLVD.	CONCORD	CA

# California

Based on Nursing Home Compare - Quality Measures (Q3)

ZIP Code	Phone Number
94521	(925) 689-7457

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents given influenza vaccination during the flu season



95%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-2

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who were assessed and given pneumococcal  
vaccination

98%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-3

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased



10%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-4



# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have moderate to severe pain

0% |

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of high-risk long-stay residents who have pressure sores

12%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-6

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of low-risk long-stay residents who have pressure sores

4%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who were physically restrained

0% |

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8



# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who are more depressed or anxious

15%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of low-risk long-stay residents who lose control of their bowels or bladder



61%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have/had a catheter inserted and left in their bladder

4%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who spend most of their time in bed or in a chair

0% |

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-12



# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose ability to move about in and around their room  
got worse



10%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-13

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who had a urinary tract infection

7%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much weight



6%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents given influenza vaccination during the flu season



93%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16



# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who were assessed and given pneumococcal  
vaccination

97%

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-17

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who have delirium

0% |

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who had moderate to severe pain

2%


# California

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-19

# California

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents who have pressure sores	Footnote
	43%